


HONOR™ SHOWPIG POP

Product Benefits

- Contains very high quality animal protein sources.
- Contains Chromium picolinate and L-Carnitine.
- A great feed between HONOR™ SHOWPIG GROWER T100 and HONOR™ SHOWPIG FITTER.
- Medicated with 200 g/ton Lincomycin, to punch through mycoplasmal related issues.
- Adds muscle definition (or “pop”) without creating a raw, extreme look.
- A great feed for barrows over 200 lb.



HONOR™ SHOWPIG POP

Product Features:

- Formulated for optimum growth and maximum muscle development
- Balanced for energy, digestible amino acids, minerals and vitamins
- Medicated with Lincomycin™
- Contains Chromium Picolinate
- Contains L-Carnitine
- Does not contain red blood cells, or high copper levels
- High quality ingredients aid in palatability and feed intake
- Completely balanced from top to bottom (amino acids, energy, minerals, vitamins, & etc...)

Product Benefits:

- Unlocks the pigs genetic potential.
- For optimum growth and maximum muscle deposition.
- Helps punch through respiratory problems due to PRRS and mycoplasmal issues.
- To improve carcass lean and decrease backfat.
- To aid in the reduction of backfat.
- Manure is not black, so white pigs are easier to clean up for show.
- Pigs like POP and eat it well.
- Pop works as hard as you and your pigs do, to get them ready for show.

HONOR™ SHOWPIG POP

General Description: For pigs intended for the show ring.

HONOR™ SHOWPIG POP

COMPLETE SWINE GROWER

Medicated

For reduction in the severity of swine Mycoplasmal pneumonia caused by Mycoplasma hyopneumoniae.

ACTIVE DRUG INGREDIENT

Lincomycin..... 200 g/ton
(As lincomycin hydrochloride)

GUARANTEED ANALYSIS

Crude Protein, (Min).....	21.0 %
Lysine, (Min)	1.20 %
Crude Fat, (Min).....	4.0 %
Crude Fiber, (Max).....	3.5 %
Calcium (Ca), (Min).....	0.6 %
Calcium (Ca), (Max).....	1.1 %
Phosphorus (P), (Min).....	0.70 %
Salt (NaCl), (Min).....	0.2 %
Salt (NaCl), (Max).....	0.7 %
Selenium (Se), ppm, (Min).....	0.30
Zinc (Zn), ppm, (Min).....	.250
Chromium (Cr), ppb, (Min).....	200
(From Chromium Tripicolinate)	

FEEDING DIRECTIONS

Feed to growing swine as the sole ration for 21 days.

Caution:

Occasionally, swine fed Lincomycin may within the first two days after the onset of treatment develop diarrhea and/or swelling of the anus. On rare occasions, some pigs may show reddening of the skin and irritable behavior. These conditions have been self-correcting within five to eight days without discontinuing the Lincomycin treatment. Do not allow rabbits, hamsters, guinea pigs, horses, or ruminants access to feeds containing Lincomycin. Ingestion by these species may result in severe gastrointestinal effects. Not to be fed to swine that weigh more than 250 lb.